Republic of the Philippines
Department of Science and Technology
PHILIPPINE INSTITUTE OF VOLCANOLOGY AND SEISMOLOGY
PHIVOLCS Bldg., C.P. Garcia Ave., University of the Philippines Campus, Diliman, Quezon City
Tels. 426-1468 to 79; 926-2611; 927-1095; 929-9254; 927-4524: 920-7058; 928-3757
Fax: 929-8366; 927-1087; 926-3225

MAYON VOLCANO UPDATE
21 September 2008
8:00 A.M.

Mayon Volcano's (13.2576°N, 123.6856°E) seismic network detected three (3) volcanic earthquakes during the past 24 hours. Steaming activity and crater glow from the summit crater were not observed due to thick rain clouds covering the upper slope of the volcano the whole surveillance period.

Alert Level 1 remains hoisted over Mayon Volcano. The public is reminded that the 7-km Extended Danger Zone (EDZ) at the southeastern flank of the volcano and the 6-km radius Permanent Danger Zone (PDZ) at other areas remain off-limits due to the continuing threat from sudden explosions and rockfalls from the upper slopes. Active river channels and those areas perennially identified as lahar-prone around the volcano should be avoided when there is heavy and prolonged rainfall.

PHIVOLCS

nrc/ml